


# CROSSWORD

Marchant CD et al: Comparison of the immunogenicity and reactogenicity of a prophylactic quadrivalent human papillomavirus (types 6, 11, 16, and 18) L1 virus-like particle vaccine in male and female adolescents and young adult women. *Pediatrics*. 2006 Nov;118(5):2135-45.  
 17 US Food and Drug Administration [Online]. 2006 June [Cited 2010 Feb28]; Available from: URL:http://www.fda.gov  
 18 FUTURE II Study Group. Quadrivalent vaccine against human papillomavirus to prevent high-grade cervical lesions. *N Engl J Med*. 2007;356(19):1915-1927.

19 Paavonen, J., Jenkins, D., Bosch, F.X., et al. Efficacy of a Prophylactic Adjuvanted Bivalent L1Virus-like-particle Vaccine against Infection with Human Papillomavirus Types 16 & 18 in Young Women: An Interim Analysis of a Phase III Double-blind, Randomised Controlled trial. *Lancet*.2007; 369:2161.  
 20 Gall SA, Teixeira J, Wheeler CM, et al. Substantial impact on pre-cancerous lesions and HPV infections through 5.5 years in women vaccinated with the HPV-16/18 L1 VLP AS04 candidate vaccine. *AACR Annual Meeting*; Los Angeles, CA.2007; 4900.  
 21 Muñoz, N., Bosch, F.X., Chichareon, S., Eluf-Neto,

J., Ngelangel, et al. A multinational case-control study on the risk of cervical cancer linked to 25 HPV types: which are the high risk types? *International Papillmavirus Conference – Program and Abstracts Book*.2000.  
 22 Kyrgiou, M. & Mahmood I. S.: The Risks and Benefits of HPV Vaccination. *Obstetrics, Gynaecology & Reproductive Medicine*.2009; 19:26-28.  
 23 Roden RB, Ling M, Wu TC. "Vaccination to prevent and treat cervical cancer". *Human pathology*. 2004; 35 (8): 971–82

Created By Michael O’Sullivan (Fourth Year Medicine, National University of Ireland, Galway)



SOLUTION ON PAGE 89

## ACROSS

- 3 Postulates.(5)
- 5 Psoriasis is associated with this phenomenon.(7)
- 9 Famous German Surgeon (8)
- 10 Earth (5)
- 12 Wolff-Parkinson-White syndrome has this classic wave on E.C.G. (5)
- 15 Rupture of the middle meningeal artery may cause this haematoma.(8)
- 16 Form of focal dystonia following neuroleptics administration.(11)
- 20 Spots in the iris of a Down Syndrome child.(11)
- 21 This infection can cause splenomegaly after kissing.(4)
- 25 Antidote for malignant hypertension.(10)
- 27 Triplet repeated in Hungtinton's disease. (3)
- 28 A syndrome characterized by postpartum hypopituitarism.(9)
- 29 This antipsychotic can cause agranulocytosis. (15)
- 31 Second cranial nerve (5)
- 34 Subsequent to a gastrectomy it is important to supplement the patient with this vitamin.(3)
- 36 Bilateral lymphadenopathy and erythema nodosum would be suggestive of this diagnosis.(11)
- 37 This clinical sign can be present with invasion of the sympathetic chain. (7)

## DOWN

- 1 A type of prescription used to prevent antibiotic resistance. (7)
- 2 This fossa contains brachial contents.(7)

- 4 Type of conduction in myelinated nerves.(9)
- 6 The main psychoactive substance found in the Cannabis.(3)
- 7 Cells promote the production of renin.(6,5)
- 8 An important cycle in glucose metabolism.(5)
- 11 This type of breathing is associated D.K.A. (8)
- 13 Palsy attributable to macrosomia.(4)
- 14 Common infectious organism found in Lake Victoria.(15)
- 17 Nerve that supplies the triceps.(6)
- 18 If the hallux dorsiflexes this is a..... Babinski's sign.(8)
- 19 Splenectomised patients are at increased of infection from this type of bacteria.(12)
- 22 "Shutter Eye".(9,5)
- 23 Young Red Blood cells(13)
- 24 A deep depression in the upper surface of the body of the sphenoid bone. (5,7)
- 26 1st choice antihypertensives in diabetics.(3,9)
- 30 Causes slapped cheeks. (10)
- 32 Painless jaundice and a palpable gallbladder in a patient is suspicious for this malignancy.(10)
- 33 The most lethal form of malaria.(10)
- 35 This score is use to predict whether induction of labour will be required. (6)
- 38 Mature treatment for T.B.(4)

